Novel Drugs of Abuse

Ann Slattery DrPH, RN, RPH, DABAT, FAACT Director, Alabama Poison Information Center



Disclosure

I have no actual or potential conflict of interest in relation to this program/presentation.



Alabama Poison Information Center

- Established in 1958 at Children's Hospital of Alabama
- Covers the entire state of Alabama
- Receives calls about all ages
 4 hours old to 105 years old
- In 2022, APIC received >50,000 calls and made
 > 60,000 follow up calls



What is a Novel Drug?

- Designer drugs
- Research chemicals
- Legal highs
- Psychoactive substances



How are they distributed?

- Nondrug products
 - Incense
 - Plant food
 - Bath salts
 - Floor stripper
- Labeled as "Not for human use" or "For use in research only."
- Produce chemicals that resemble illicit drugs
 Slightly changed structure makes them difficult to detect





Synthetic Cannabinoids

- 1964 THC isolated
- 1988 synthesis of HU 210
- 1995 synthesis of JWH 018
- 2004 first sold on the internet
- 2008 first SC identified in Spice
- 2009 Banned in Europe
- 2010 11,000 emergency department visit in U.S.
 75% adolescents and young adults (12-29 yo)
- 2010 banned in the United States







Different than marijuana

Synthetic Cannabinoids	Marijuana
Unregulated mixture of	Natural plant derived same
compounds	compound THC
Longer duration of action (up	Duration (2 to 3 hours)
to 24 hours)	
Mixed and unpredictable	Well-known symptoms
symptoms	
Not readily able to detect in	Detectable in the urine
blood or urine	
Severe hallucinations	No hallucinations
Extreme anxiety	Relaxing (most of the time)
Nystagmus	No nystagmus



Synthetic Cannabinoids Symptoms

- Mild
 - Ataxia
 - Mydriasis
 - Sedation
 - Tachycardia
- Severe
 - Psychomotor agitation, psychosis, hallucinations, delirium, rhabdomyolysis
 - Respiratory depression
 - Acute kidney injury



Synthetic Cannabinoids Outbreaks Myocardial infarction - 2011 & 2016 (several states)

- Kidney failure 2012 Blueberry spice Wyoming
- Bleeding 2018 Illinois, 2021 Florida



Synthetic Cannabinoids Treatment

- Sedation to control psychomotor agitation benzodiazepines and antipsychotics
- Supportive care for end organ toxicity



Sedatives

- Tianeptine
- Phenibut
- Kava
- GHB



Tianeptine

Structure similar to a tricyclic antidepressant

• Approved in several European countries

- Not FDA approved in the United States
- Sold online or convenience stores as ZaZa or Tianna Red
 - Larger doses used as an opioid substitute





Tianeptine

- Made the controlled substance list in 2020 in Alabama then withdrawn in November
- Banned March 15, 2021
- Overdoses lethargy and agitation
 - Treated with naloxone and benzodiazepines
- Withdrawal agitation, N&V, tachycardia, and tremors
 - Treated with benzodiazepines and dexmedetomidine
- Entered Phrenze Red contains phenibut and kava







Phenibut

- Beta-phenyl-gamma-aminobutyric acid HCL (aminobutyric acid)
- Used in Russia for alcohol withdrawals
- Acts on the GABA receptors
- Onset 2-4 hours, duration 24 hours
- Causes sedation, CNS depression and ataxia, and severe symptoms – hallucination, agitation, and seizures
- Treatment Respiratory support
- Potential for withdrawal





Kava

 Derived from the Piper methysticum – smoked or used as a tea to relax or to treat anxiety

Exact mechanism of action is unknown

 Symptoms are not expected to be severe enough to require intervention

• Long term use may result in dermatitis, hepatotoxicity, indigestion, and nausea



Gamahydroxybutyrate (GHB)

- 1990 FDA declared GHB unsafe, 1997 FDA declared GHB illegal
- 1,4 but anediol and γ -but yrolactone are metabolized to GHB
 - Can be found in ink, cleaning products, and automotive products
- Slang terms floor stripper and water
- Symptoms CNS depression, bradycardia and respiratory depression
- Treatment -Respiratory support
- Withdrawals treat in an ICU, benzodiazepines





Opioid Analogues • Synthetics opioids – fentanyl analogues

• Loperamide

Kratom



Fentanyl

Used in adulterated heroin

- Analogues carfentanyl, sufentanil, and alfentanil
- Classic opioid symptoms CNS depression, respiratory depression, and miosis
- Treatment with naloxone (high doses)





Naloxone





Loperamide

Insoluble meperidine analogue used to treat diarrhea

Large doses of 100 - 200 tablets may cause euphoria similar to an opioid

 Symptoms – CNS depression, respiratory depression, miosis and serious cardiac events

Treatment - naloxone





Kratom

- Mitragyna species native to Asia and Africa
- Low doses acts as a stimulant, at higher doses it causes euphoria
- Abused for euphoria, stimulant effect, to abate pain, and prevent opioid withdrawal
- Treatment symptomatic and supportive care
 Naloxone?





Vaping





History of E-cigarettes

- 2000 Chinese pharmacist Hon Lik
- First cigarette containing nicotine but no tar
- 2003 Ultrasound device nebulized nicotine dissolved in a solution of propylene glycol produced in China
- 2006 Exported all over the world (2007 in USA)Korea – Marketed as a "healthy" alternative to cigarettes
 - Smoking cessation



Other Ingredients

- Propylene glycol, glycerin, vitamin E oil
- Flavoring
- Metals?
- Chemicals?
- Drugs?



Vaporing other drugs

- Synthetic Cannabinoids
- Honey Oil
- THC and CBD



Question?

A 16-year-old high school student is brought by EMS to the ED on a Saturday at 9 pm with acute onset of ataxia, sedation, mydriasis, tachycardia, hallucinations, and agitation. The patient is accompanied by her 16-year-old friend who tells you that they were at a party where many "designer drugs" were being exchanged. You suspect marijuana or a similar drug. A urine toxicology screen is performed and is negative. Which of the following best explains the reason why the detection of designer drugs is so difficult?



Answer

A. Designer drugs are metabolized very quickly and are largely out of the system in minutes.

B. Polysubstance abuse causes interference in the assays.

C. Slight alterations in the chemical formula compared with the parent compound cause them to be undetectable in standard urine drug immunoassays.

D. The amount of drug in the system is too small for standard detection methods.

E. The ingestion of alcohol masks designer drugs.



Question

On further questioning of the friend who accompanied the patient in previous question to the ED, she states that the patient may have ingested "Spice" or "K2." In which of the following general categories of designer drugs does Spice belong?



Answer

A. Amphetamines

B. Benzodiazepines

C. Hallucinogenic drugs

D. Opioid analogues

E. Synthetic cannabinoids



Question?

A 15-year-old boy is brought by EMS to the ED with CNS depression, miosis, and respiratory depression. There are no friends or family members present to provide further information about the substance ingested. You turn to your medical student and mention that this is a classic toxidrome for a certain class of drugs. Overdose with which of the following substances is most likely to present with the classic toxidrome seen in this patient?



Answer

A. Amphetamines

B. Benzodiazepines

C. Cannabinoids

D. Hallucinogens

E. Opioids



Erowid's and	SSData.opg nymous drug analysis program led EcstasyData	SEARCH LAB RESULTS BY All V Send in a sample for testing >	<u>Advanced Search</u> GO Support DrugsData)
Test Results	Test Result Statistics About Tests & Data About Us Con	ict Us FAQ	
 DrugsData (formerly EcstasyData) is the independent anonymous aboratory analysis and drug checking program of <u>Erowid Center</u>. ts purpose is to collect, review, manage, and publish laboratory esting results from our lab and republished from other analysis projects worldwide. > Learn more About Us > Submit a sample for testing 	June 2023 — DrugsData is currently publishing analysis weeks from the date a sample reaches the lab. Jun 9, 2023 — Published 33 DrugsData samples receive Republished 12 results from other drug checking groups Jun 7, 2023 — Published 26 DrugsData samples receive Jun 1, 2023 — Help identify DrugsData's <u>unidentified su</u> Note — We're testing more opioid, cocaine, and meth sa doesn't indicate an increase in the use of these drugs.	d May 19-24. d May 17-18. <u>istances</u> .	

16198 ENTRIES TOTAL ENTRIES PER PAGE: 100 ♥ PAGE: 1/162 > SHOWING ALL TESTING RESULTS

Quick Filter.

		Active Contents 1				
Photo	Sample Name 0	Substance	Ratio / Amounts 0	<u>Date</u> ▼ 0	Location	Data Source
	Purple Powder Code: BC13F Sold as: Molly	MDMA Cocaine	• 1 • trace	Jun 09, 2023	Seattle, WA	<u>DrugsData</u>
	M 30 Code: BC420 Sold as: Percocet	 Acetaminophen Fentanyl Metamizole 4-ANPP 	• 100 • 3 • 2 • 1	Jun 09, 2023	New York, NY	<u>DrugsData</u>
	Cocaine Code: SMF231 Sold as: Cocaine	CocaineBenzoylecgonineMethylecgonidine	• 12 • 3 • 1	Jun 09, 2023	Tampa, FL	<u>DrugsData</u>
	Ecstasy Code: HD152 Sold as: MDMA	• MDMA	• 1	Jun 09, 2023	Portland, OR	<u>DrugsData</u>
	LSD Blotter	• LSD	• 1	Jun 09, 2023	Online	DrugsData

	Crack Code: AC2023B2192A Sold as: Crack	CocaineMethylecgonidineTropacocaine	• 50 • 5 • 1	Jun 09, 2023	Boston, MA
	Fetty Code: AC2023B2632A Sold as: Fentanyl	 Fentanyl 4-Fluorofentanyl 4-ANPP Despropionyl-4-fluorofentanyl 	 14 9 5 1 	Jun 09, 2023	Boston, MA
	Tan Powder Code: AC2023B2190 Sold as: Fentanyl	 Xylazine Fentanyl 4-ANPP Cocaine 	 11 8 2 1 	Jun 09, 2023	Pittsfield, MA
	White Powder Versace Code: AC2023B2289 Sold as: Heroin	 Xylazine Fentanyl 4-ANPP 4-Fluorofentanyl 	 36 2 1 1 	Jun 09, 2023	Pittsfield, MA
-	White Powder Versace Code: AC2023B2202 Sold as: Fentanyl	Xylazine4-ANPPFentanyl	 27 1 1 	Jun 09, 2023	Pittsfield, MA
EMER	Off-White Powder Lemon Pepper Code: AC2023B2151 Sold as: Heroin	 Fentanyl Caffeine 4-ANPP Lidocaine N-Propionylnorfentanyl Tramadol Xylazine 	 13 5 4 1 1 1 1 1 1 	Jun 09, 2023	Pittsfield, MA

Fentanyl Exposures



Delta 8



Poison Perils of Alabama







1-800-222-1222

