Third Visit Posttest

Patient's r	ame:
Patient's b	irth date:
Your name	e and relationship to patient:
Today's da	te:
Please ma	rk only one answer for each of the following questions:
tir A. B. C.	hich one of the medicines listed below should every child with a sickle cell disease take two nes a day? (Unless your sickle cell doctor or nurse tells you differently) Folic Acid Penicillin Vitamins and iron Desferal
se (Fi A. B.	hen a child with a sickle cell disease has a temperature of you should take them to be sen by a health care provider or the emergency room. Il in the blank) 98.6 99.0 101.0 or greater
A. B. C.	hat is the most common cause of death in CHILDREN who have a sickle cell disease? Leg ulcers Anemia Infection Pain





- 4. How does a child with a sickle cell disease get the disease of both parents only have 1 abnormal hemoglobin trait?
 - A. He/she gets only Hemoglobin A genes
 - B. By gene therapy
 - C. A baby gets one abnormal hemoglobin gene from each parent
 - D. His/her genes change after birth
- 5. Sickle cell disease is:
 - A. A blood disorder you catch from another person that causes a lot of pain
 - B. A red blood cell disorder that you inherit from your parents
 - C. A white blood cell disorder that makes someone sick all the time
 - D. Does not have any side effects or problems and usually goes away
- 6. The most common problems with children who have a sickle cell disease are:
 - A. Infection, pain, anemia and organ damage
 - B. Blindness, hair loss, and rash
 - C. Constipation, shakiness and difficulty breathing
 - D. Fever, vomiting and stomachache
- 7. Of the following sickle cell disorders, which type is **MOST LIKELY** to have the **LEAST** amount of problems with pain and low blood counts (low hematocrit/hemoglobin)?
 - A. Hemoglobin SS Disease
 - B. Hemoglobin Sbeta O Thalassemia
 - C. Hemoglobin SC Disease
 - D. Hemoglobin Sbeta + Thalassemia
- 8. Painful swelling of the hands and/or feet in a child with sickle cell disease is known as:
 - A. Pneumonia
 - B. Chest Syndrome
 - C. Hand and foot syndrome, or dactylitis
 - D. Splenic Sequestration





- 9. What should you do for a child who is experiencing hand and foot syndrome (dactylitis) or pain in their arms or legs?
 - A. Take them to the hospital for IV Demerol
 - B. Give them Tylenol alternating with ibuprofen, extra fluids, and apply warm soaks
 - C. Apply medicated lotion to the affected hand/foot

copyright © 2003 Privileged information and may not be duplicated without written permission of UAB Division of Pediatric

Hematology/Oncology

- D. Enroll the child in physical therapy
- 10. At what <u>earliest</u> age is it possible for a child to first experience a pain crisis?
 - A. 1 year
 - B. 4-6 months
 - C. birth
 - D. 3 years







Third Visit Posttest ANSWER KEY

Name:	
Date of	Birth:
Today's	s date:
Please	mark only one answer for each of the following questions:
1.	Which one of the medicines listed below should every child with a sickle cell disease take two times a day? (Unless your sickle cell doctor or nurse tells you differently) A. Folic Acid B. Penicillin C. Vitamins and iron D. Desferal
2.	When a child with a sickle cell disease has a temperature of you should take them to be seen by a health care provider or the emergency room. (Fill in the blank) A. 98.6 B. 99.0 C. 101.0 or greater
3.	What is the most common cause of death in CHILDREN who have a sickle cell disease? A. Leg ulcers B. Anemia C. Infection D. Pain





- 4. How does a child with a sickle cell disease get the disease of both parents only have 1 abnormal hemoglobin trait?
 - A. He/she gets only Hemoglobin A genes
 - B. By gene therapy
 - C. A baby gets one abnormal hemoglobin gene from each parent
 - D. His/her genes change after birth
- 5. Sickle cell disease is:
 - A. A blood disorder you catch from another person that causes a lot of pain
 - B. A red blood cell disorder that you inherit from your parents
 - C. A white blood cell disorder that makes someone sick all the time
 - D. Does not have any side effects or problems and usually goes away
- 6. The most common problems with children who have a sickle cell disease are:
 - A. Infection, pain, anemia and organ damage
 - B. Blindness, hair loss, and rash
 - C. Constipation, shakiness and difficulty breathing
 - D. Fever, vomiting and stomachache
- 7. Of the following sickle cell disorders, which type is **MOST LIKELY** to have the **LEAST** amount of problems with pain and low blood counts (low hematocrit/hemoglobin)?
 - A. Hemoglobin SS Disease
 - B. Hemoglobin Sbeta 0 Thalassemia
 - C. Hemoglobin SC Disease
 - D. Hemoglobin Sbeta + Thalassemia
- 8. Painful swelling of the hands and/or feet in a child with sickle cell disease is known as:
 - A. Pneumonia
 - B. Chest Syndrome
 - C. Hand and foot syndrome, or dactylitis
 - D. Splenic Sequestration





- 9. What should you do for a child who is experiencing hand and foot syndrome (dactylitis) or pain in their arms or legs?
 - A. Take them to the hospital for IV Demerol
 - B. Give them Tylenol alternating with ibuprofen, extra fluids, and apply warm soaks
 - C. Apply medicated lotion to the affected hand/foot
 - D. Enroll the child in physical therapy
- 10. At what <u>earliest</u> age is it possible for a child to first experience a pain crisis?
 - A. 1 year
 - B. 4-6 months
 - C. birth
 - D. 3 years





